

10672057

IN THE CLAIMS:

This listing of the claims will replace all prior versions and listings of the claims in the application:

1. (Currently Amended) A telecommunications system, comprising:
a plurality of network clients including a positioning controller and a communications controller; and
a positioning server including a coordinating controller for maintaining a database of network clients to be tracked, said database further including position-presence correlation information related to party availability for individual users;
wherein said positioning server is adapted to receive position information from said plurality of network clients and distribute presence information related to said position information as one or more ~~text~~ e-mail messages to one or more network enterprise devices.
2. (Original) A telecommunications system in accordance with claim 1, wherein said positioning controller receives global positioning network signals for determining a position of an associated network client.
3. (Original) A telecommunications system in accordance with claim 2, wherein said communications controller comprises a cellular network controller for transmitting on a cellular telephone network to said positioning server.
4. (Currently Amended) A telecommunications system ~~in accordance with claim 3, comprising:~~
a plurality of network clients including a positioning controller and a communications controller; and
a positioning server including a coordinating controller for maintaining a database of network clients to be tracked, said database further including position-presence correlation information for individual users;
wherein said positioning server is adapted to receive position information from said plurality of network clients and distribute presence information related to said

10672057

position information as one or more text messages to one or more network enterprise devices;

wherein said positioning controller receives global positioning network signals for determining a position of an associated network client

wherein said communications controller comprises a cellular network controller for transmitting on a cellular telephone network to said positioning server;

wherein said plurality of network clients are adapted to receive updates to said position-presence correlation information as e-mails from said positioning server.

5. (Original) A telecommunications server, comprising:
 - a presence control unit adapted to receive and maintain presence information for a plurality of users;
 - a location control unit adapted to receive and maintain location information for said plurality of users, said location information correlated with said presence information; and
 - an e-mail generation unit adapted to generate presence status e-mail and location-presence correlation information from said location information for network users .

6. (Original) A telecommunications server in accordance with claim 5, wherein said location control unit receives said location information via an enterprise specific dial-up.

7. (Original) A telecommunications method, comprising:
 - receiving one or more user positioning and presence correlation rules at a local controller; and
 - transmitting said one or more positioning and presence correlation rules to a remote device as one or more rules e-mails.

8. (Original) A telecommunications method in accordance with claim 7, further comprising:

10672057

receiving positioning updates at said remote device; and
transmitting presence updates as one or more presence e-mails to other local
controllers or remote devices as specified in said one or more positioning and
presence correlation rules.

9. (Original) A telecommunications method in accordance with claim 8,
wherein said receiving one or more user positioning and presence correlation rules
comprises receiving at a server one or more rules set via a network interface device
operably coupled to said local controller.

10. (Original) A telecommunications method in accordance with claim 9,
wherein said receiving positioning updates comprises receiving one or more signals
from a global positioning network.

11. (Original) A telecommunications method in accordance with claim 10,
further comprising transmitting positioning updates from said remote device to one
or more servers via a radio-linked network.

12. (Original) A telecommunications method in accordance with claim 11,
wherein said radio-linked network comprises a cellular telephone network.

13. (Original) A telecommunications method in accordance with claim 11,
wherein said radio-linked network comprises a personal communication service
(PCS) network.

14. (Currently Amended) A telecommunications device, comprising:
a positioning controller adapted to determine positioning information for said
telecommunications device;
a communications controller adapted to receive said positioning information
from said positioning controller and cause said positioning information to be
transmitted to an associated server; and
an e-mail controller adapted to receive positioning information control updates

10672057

from said associated server.

15. (Original) A telecommunications device as recited in claim 14, wherein said positioning controller receives Global Positioning System (GPS) signals to determine said positioning information.

16. (Original) A telecommunications device as recited in claim 15, further including a rules database of location and presence related information.

17. (Original) A telecommunications device as recited in claim 16, wherein said communications controller transmits changes to location and presence status to said associated server via a wireless dial-up connection.

18. (Original) A telecommunications device as recited in claim 16, wherein said communications controller transmits changes to location status to said associated server via a wireless dial-up connection.

19. (Original) A telecommunications device as recited in claim 16, wherein said communications controller receives updates to said rules database as e-mails from said associated server.